

Spotrete™ 75WDG

TURF FUNGICIDE AND ANIMAL REPELLENT

For the control of Dollar Spot, Brown Patch, and Snow Mold on turf grass, and for Animal Repellency on deciduous and evergreen trees and shrubs.

ACTIVE INGREDIENT:

Thiram [Tetramethylthiuram Disulfide]75%

INERT INGREDIENTS:25%

TOTAL100%

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

- **IF SWALLOWED:** Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.
- **IF ON SKIN:** Wash with plenty of soap and water. Get medical attention. Call a physician if irritation persists.
- **IF IN EYES:** Flush eyes with plenty of water. Call a physician if irritation persists.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed. Wash thoroughly with soap and water after handling. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Harmful if inhaled. Avoid breathing spray mist. Remove contaminated clothing and wash before reuse. Do not take alcohol immediately before or after exposure to this product. The consumption of alcoholic beverages can increase the toxicity of this product. This product can cause skin itching, rashes and other dermal reactions to the user. Do not graze treated areas or feed clippings to livestock.

ENVIRONMENTAL HAZARDS

This pesticide product is toxic to fish. Do not apply directly to water, where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes. Drift or runoff from treated areas may be hazardous to aquatic organisms in neighboring areas.



CLEARY CHEMICAL CORPORATION

178 RIDGE ROAD
DAYTON, NJ 08810-1501
908-329-8399 800-524-1662
www.clearychemical.com

EPA REG. NO. 1001-60

PHYSICAL AND CHEMICAL HAZARDS

Keep away from heat and open flame.

STORAGE AND DISPOSAL

- **STORAGE:** Store in original containers only in a secured area inaccessible to children and unauthorized persons.
- **PESTICIDE DISPOSAL:** Do not contaminate water, food, or feed by storage or disposal. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use

according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Absorb spills onto clay, sand or vermiculite and hold for proper disposal.

- **CONTAINER DISPOSAL:** Completely empty package by shaking and tapping side and bottom to loosen clinging particles. Empty residue into application equipment, then dispose of package in a sanitary landfill or by incineration if allowed by state and local authorities.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING. NOT FOR USE ON TURF BEING GROWN FOR SALE OR OTHER COMMERCIAL USE SUCH AS SOD, OR FOR COMMERCIAL SEED PRODUCTION, OR FOR RESEARCH PURPOSES.

GENERAL INFORMATION

SPOTRETE 75 WDG prevents the infestation of common turf diseases such as Dollar Spot and Brown Patch if sprayed at regular weekly intervals throughout the summer season. This product will control Dollar Spot and Brown Patch when applied at a higher dosage to turf already infested with these diseases.

SPOTRETE 75 WDG will control Snow Mold (*Fusarium nivale* and *Typhula* spp.) when two applications are made during the Fall and Spring season.

SPOTRETE 75 WDG can also be used to protect nursery stock, shrubs and ornamentals from rabbit, deer and rodent depredation. One application will protect treated parts from 1 to 3 months, depending upon weather conditions. This product can also be used as a repellent in deterring deer from moving into unwanted areas as a result of local feeding and browsing. The addition of a latex based sticker, such as CLEARSPRAY T/O, prolongs the residual effectiveness of the treatment. Repellency is the result of rendering the treated plant parts distasteful. Some feeding may occur. As always, read and follow label directions for best use results.

TURF APPLICATIONS

DOLLAR SPOT and BROWN PATCH

PREVENTIVE DOSAGE: 2 1/2 ounces per 1,000 square feet at 7-10 day intervals throughout the growing season.

CURATIVE DOSAGE: 5 ounces per 1,000 square feet. Begin when disease first appears. Repeat at 7 to 10 day intervals as necessary.

For uniform coverage use 2 to 5 gallons per 1,000 square feet.

SNOW MOLD (*Fusarium nivale* and *Typhula* spp.)

PREVENTIVE DOSAGE: 8 ounces per 1,000 square feet late in the Fall prior to snowfall. A Spring application of 3 ounces per 1,000 square feet during Spring thaw may be necessary. For uniform coverage use 2 to 5 gallons of water per 1,000 square feet.

LIMITED WARRANTY AND DISCLAIMER

CLEARY CHEMICAL CORPORATION warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use, subject to the risks referred to therein. CLEARY makes no other expressed or implied warranty of fitness or merchantability or any other expressed or implied warranty. In no case shall CLEARY or seller be liable for consequential, special or indirect damages resulting from the use or handling of this product including, but not limited to loss of profits, business reputation, or customers; labor cost; or other expenses incurred in planting or harvesting. CLEARY and seller offer this product and the buyer and user accept it subject to the foregoing conditions of sale and warranty which may be varied only by agreement in writing signed by a duly authorized representative of CLEARY CHEMICAL CORPORATION.

ANIMAL REPELLENCY

DEER, RABBIT, and RODENT

APPLICATIONS DURING THE GROWING SEASON

Prepare a slurry of 1.3 pounds of SPOTRETE 75 WDG in 2 gallons of water and apply as a full coverage spray to all portions of the plant to be protected. For greater retention and residual efficacy add 1 pint of CLEARSPRAY T/O or similar latex based sticker to the spray solution. Do not use wetting agents or surfactants as foliar damage may result. For best results spray when temperatures are greater than 40 F and relative humidity is less than 70 percent. Coverage depends on plant density.

APPLICATION TO TREE TRUNKS AND DORMANT PLANTS

Prepare a slurry of 1.3 pounds of SPOTRETE 75 WDG in 1 gallon of water and apply as a full coverage spray to all portions of the plant to be protected. For greater retention and residual efficacy add 1 pint of CLEARSPRAY T/O or similar latex based sticker to the spray solution.

BRUSH ON APPLICATION

Prepare a slurry of 1.3 pounds of SPOTRETE 75 WDG in 1 quart of water and apply with a paint-brush to stem parts and trunks to be protected. For greater retention and residual efficacy add 1 fluid ounce of CLEARSPRAY T/O or similar latex based sticker into each quart volume of solution prepared prior to brushing.

SOLD BY:



CLEARY CHEMICAL CORPORATION

178 RIDGE ROAD
DAYTON, NJ 08810-1501
908-329-8399 800-524-1662
www.clearychemical.com

WAC43125M